

SUN ODYSSEY 54DS

2004



SPECIFICATIONS

Overall length.....	54' 11"
Hull length.....	53' 8"
Length on waterline.....	48' 6"
Overall beam	15' 11"
Standard draft keel	7' 6"
Standard displacement	37,479 lbs
Standard keel weight.....	11,023 lbs
Shallow draft keel.....	6' 6"
Shallow displacement	38,361 lbs
Shallow keel weight.....	11,905 lbs
Mast height above WL	72' 2"
Cabins	3 / 4 / 5
Berths	6 - 12
Standard engine	100 Hp Yanmar
Fuel capacity.....	106 US gal
Water capacity	246 US gal
Furling mainsail	538 sq ft
Classic mainsail.....	677 sq ft
Furling genoa	893 sq ft
I.....	65' 9"
J.....	19' 4"
P.....	57' 11"
E.....	19' 2"
Category	A 8 - 16 people
Designer.....	Jeanneau Design, Fauroux & Garroni

Your Local Jeanneau Dealer:

INVENTORY

CONSTRUCTION

HULL: Solid polyester / fiberglass hull - Wood / fiberglass frame - Reinforced Kevlar® - Reinforced polyester engine bed
DECK: Balsa sandwich deck for rigidity and insulation - Deck liner
KEEL: Standard: cast-iron keel: 7'6" - 11,023lbs - Optional: short cast-iron keel: 6'6" - 11,905 lbs - Epoxy surface treatment

DECK HARDWARE

Stainless steel double sheave bow fitting with swinging bow roller - Open bow pulpit - Stainless steel stern pulpit with buoy bracket and flagstaff holder - Double lifelines - Port and starboard lifeline gates - Teak rubrail with built-in chocks - 6 mooring cleats with chocks - Anchor locker - 1500 W deck-mounted electric windlass - Spinlock jammers and Harken turning blocks for halyards and control lines - 2 Harken 66.2 cockpit coaming winches for genoa sheets - 2 Harken 46.2 roof winches for the main, genoa and spinnaker - 2 genoa sheet tracks with adjustable Harken fairleads - Genoa sheet turning blocks - Harken adjustable mainsail traveler on roof - Folding padeyes on deck - Padeye for spinnaker pole downhaul - Fiberglass halyard cover, roof handrails, companionway and cockpit handrails

COCKPIT / STERN PLATFORM

Twin-level cockpit, teak batten seats and floor, two side lockers with gas lifting shocks - Central locker for liferaft or storage, gas locker for 2 tanks (tanks not included) - Two large lockers under helm seats, access to steering system - 2 steering wheels, leather wheel covers, compass with stainless steel guard - Engine control on starboard steering console - Cockpit table with folding sides, central storage, glass holder - Stainless steel fiddle and handrail with light on cockpit table - Room for electronics on each helm console and under cockpit table - Teak batten stern platform steps and bottom, cockpit shower hot and cold water - Folding swim ladder with teak steps and cover - Watertight stereo speakers

STEERING

Twin steering wheels, self-aligning rudder bearings - Stainless steel cable steering, molded aluminum quadrant - fiberglass rudder, stainless steel frame and shaft - Rudder tube fiberglassed to hull

MAST / RIGGING

Keel-stepped mast, mast foot with shoe - Triple spreaders, through-mast connection - Discontinuous wire rigging, lower forward shrouds - Backstay double, double turnbuckles - Turnbuckle protectors on shrouds - Profurl genoa furler, above-deck drum - Rigid boom vang, all halyards led to Spinlock blockers at cockpit - Harken mast step blocks on deck fitting - Watertight mast passage deck fitting - Stainless steel mast reinforcement rod between deck fitting and mast foot - Double thickness lower mast section, watertight - Removable mast casing

for access to cable connections - Folding mast steps deck lighting under spreaders - Spinnaker rail on front of mast for pole storage (optional spinnaker pole) - Boom topping lift, mainsail halyard, genoa halyard, spinnaker halyard - Flag halyard strap-eyes - Furling mast: Horizontal cut Dacron furling mainsail - Horizontal cut Dacron genoa - Windex

WINDOWS AND VENTILATION AND CURTAINS

Eight fixed hull ports with pleated fabric curtain tracks - Six opening cockpit ports with curtain tracks - Twelve forward opening deck hatches - Two dorade boxes with stainless steel guards and vent on forward hatch - Two lateral roof windows with interior curtains - Two-section front window with blind - Sliding curtains on all deck hatches, (optional) insect screens

INTERIOR LAYOUT

Optional versions: forward or aft owner's cabin - 3 forward transformable cabins: Definition of the 2 transformable aft cabins: Removable longitudinal bulkhead for transformation to island berth - Each double berth is transformable into two single berths - Wood hull liner, light-colored fabric ceiling liner - Hanging locker and under berth storage, side shelf along hull - Fixed teak floorboards with access panels - Storage for modular pieces under forward cabin berth
Definition of the 2 forward transformable cabins: Removable longitudinal bulkhead for transformation to island berth - Drawers under berth - Wood hull liner, light-colored fabric ceiling liner - Hanging locker and under berth storage, side shelf along hull - Fixed teak floorboards with access panels - Storage for modular pieces under berth

Definition of the 3 forward transformable cabins: Direct access from salon to forward portside head - Removable longitudinal bulkhead between the two cabins - Creation of a "master cabin" with side access to the starboard double berth and transformation of the of single berths to a bench seat to port - Double cabin on starboard side with hanging locker, drawer, and access to forward washroom - Storage on side of hull or raised berth in option - Wood hull liner, light-colored fabric ceiling liner - Single cabin to port with single raised berths (upper berth folds down) - Storage under berth - A double cabin with hanging locker and storage in the bow compartment - Side shelves on hull, room for bow thruster
Head: 2 aft cabins, 2 and 3 forward cabin version: Molded polyester washroom furnishing - Marine toilet with manual pump - Hot and cold water shower tap - Shower drain pump with switch - Stainless steel washbasin with synthetic resin decorative trim - Storage under sink, access to thruhulls - Clothes hook, mirror, towel ring, toilet paper holder - Storage with door under sink - 12 gal. Holding tank with gravity drain - Plastic shower grate, folding seat over toilet - Sink counter handrail

Definition aft owner's cabin: Double berth 5'3" x 6'8" with mattress battens - Two part mattress - Teak hull liner - Teak floor - Tall hanging locker to starboard, short locker to port - Storage lockers on both sides of beds, with bookshelves - Shelves on sides - Vanity with seat and mirror to starboard, seat to port - Storage under seats - TV and video pre-wiring - CD radio and speakers - Overhead halogen lights with switches, reading lights at head of berth - Mirror on forward bulkhead - Opening ports towards rear of cabin

Head aft owner's cabin: To port: Separate shower with seat and teak grating - Shower with hot/cold mixer - 12 gal. Holding tank with gravity drain - To starboard - Identical washroom as two cabin version - Plus: teak grating

Definition forward owner's cabin: Double berth, 5'3" x 6'10", mattress battens - mattress, twin section - Teak hull liner, storage shelves with door - 4 drawers under berth, change drawer on side - Teak floorboards - Large hanging locker to starboard - Large cupboard with shelves and hanging locker to port - To port: Desk with swinging seat, mirror, storage - TV and video pre-wiring - CD radio and speakers - Halogen overhead lights, with switches and reading light by berth - Mirror on mast bulkhead
Head forward owner's cabin: Same as double cabin version, with additional: Shower curtain - Teak grating, water temperature control - Stainless steel handrail on bulkhead and near sink

Definition sail locker (except for 3 forward transformable cabins): White rot-resistant hull side panel liners - Access ladder with storage - Lower storage compartment, lateral hull shelves - Access to electric windlass motor - Drain hose with valve - Storage racks for mooring lines and fenders

Optional skippers cabin (in sail locker): Upper cross berth, lower longitudinal berth - Furnishings include sink, hot and cold shower, mirror - Marine toilet under lower berth (folding berths) - Electric shower sump pump, overhead and reading lights - Curtain on deck hatch - Closed-cell foam cushions and mildew-resistant Dralon covers

SALON AND LOUNGE

Wide U-shaped salon to starboard with: Central bench seat with drawer and handrail - One piece salon table with fiddles - 2 removable table legs to transform table into double berth (optional) - Upper storage lockers, storage under seats - Room for TV and video - Lounge area to port with: Two angled seats with central bar furnishing and removable lower table - Upper storage compartment - HIFI in forward corner furnishing and speakers on bulkheads

GALLEY

Galley located on port side on slightly lower level, one step down - Synthetic resin countertop with: top icebox cover, folding stove cover, dish drain, double sink with covers, drawers - 37 gal. refrigerator, seawater cooled - Front-loading refrigerator door, shelves, storage bin - 37 gal. icebox, top loading, with storage bins - Fresh and seawater

ter foot pump - Upper shelf furnishings for microwave, dishes, and storage - Stainless Steel microwave - Oven ventilator fan, 4 burner stove/oven with crash bar - Three cutlery drawers, trash basket on sliding rail - Storage locker on aft bulkhead - Access to thru-hulls behind salon seat backrest - Glass divider between galley and salon - Mixer tap with flexible hose - Handrail and compression post for mainsail traveler track

NAVIGATION STATION

Main electrical panel, with access to connections - Curved teak batten navigator seat with support, storage compartment - Side storage with bookshelf - 4 drawers on left side, large folding table cover, and computer compartment - Electronic instrument stand - Room for radar screen chart plotter - Deep foul weather gear locker behind navigator seat - Access to service batteries under floorboards - Traveler post hand rail

LIGHTS AND ELECTRICITY

Chrome and stainless steel flush overhead lights - On/off switches in salon and cabins - Halogen salon side lights, in owners cabin and in galley - Overhead lights, aft lockers, and sail locker - One 115v and 12v outlet per cabin - 2 x 115v outlets in owners cabin - Other 115v outlets: galley (2), salon (1), nav station (1) - Courtesy light at companionway steps and forward of the salon

COMPANIONWAY AND HULL ACCESS

2 handrails, solid teak companionway - Varnished teak steps with nonskid strips - Plexi companionway hatch cover, removable plexi hatch door with storage - Access to front of engine via two panels on lifter arms - Rear engine access by three removable panels in aft cabin - Battery switch access panel on port side of companionway - Access trap to generator hold on lifter arms - Salon access traps to tanks, bilge, pumps, waterheater

ENGINE

Diesel engine with exchanger - Mounted on fiberglass bed with engine well and ventilation - Soundproof plastic film insulation and protected edges - Filter inspection panel at foot of companionway - Access to engine and generator raw-water intake thruhulls in passageway - Structurally sealed metal shaft strut and fiberglass shaft log - Stainless steel prop shaft, Ø 35mm, drip less stuffing box, fixed three-blade propeller - Stainless steel water exhaust built into engine bed, stainless steel exhaust aft - Independent engine starting battery, forced ventilation - Fuel/water separator

ELECTRICAL

One 12V/80A engine alternator - Twin input, triple output battery charge distributor - One 55 Ah engine battery - One 12 V battery bank, four 80 Ah house batteries - Two 24V battery banks, two 55 Ah electric windlass batteries and two 55 Ah batteries for aft winches (winches optional) - One 115 V shore power inlet (cord not included) with 12 V/60 A charger and circuit breaker - One positive engine battery switch, one for service - Remote control battery switch for the electric windlass - One general negative

battery switch - 12 V electrical panel at the chart table with circuit breakers - 12 V charge ammeter, 12 V voltmeter, 12 V charge circuit selector - 115 V electrical panel with circuit breakers, 115 V voltmeter - 115 V source selector switch : dock, generator (option), inverter (option)

PLUMBING

Hot and cold pressure water, rigid plastic tubing - " Heavy-duty " water pump, 12 gal hot water heater - Stainless steel water tanks under the salon, with water fill and separate vents - Chrome faucets with shower taps in heads - Water meter, separate water gauge for each tank - Showers with individual electric pumps with on/off switch - Manual marine toilet

SELECTED OPTIONS LIST

Option: Classic mast: Full-batten cut tri-radial DC 77/99 polyester/Mylar sandwich mainsail - Tri-radial cut DC 77/99 polyester/Mylar sandwich mainsail genoa - Harken system B mast track and battcars - 2 automatic reefs, 3rd classic reef - Lazy bag, adjustable lazy jacks

Hull and deck options: Teak deck - Painted hull - Luxury chrome hardware: dorades, compass - Releasable baby stay and rigging - Spinnaker pole and running rigging: sheets, guys, downhaul - Large classic dodger - Classic bimini - Dodger with fixed arch and helm post bimini extendable over cockpit - Deck cushions with protective cover - Cockpit cushions - Set of steering wheel, and cockpit table covers - Electric genoa winches

Optional layouts: Deluxe folding salon table - Double berth (not available with deluxe salon table) - Seats instead of central bench seat - Leather salon upholstery - Alcantara salon upholstery


Engine and other options: Folding three-blade propeller - Prop shaft cutter - Second 12 v alternator - Fuel tank in place of water tank, with 12 v and manual transfer pump

Electrical and accessory options: ONAN 9 KW genset - 24 v bow thruster - 24 v electric winch on roof - 24 v electric genoa winches - DUO watermaker - 115 v air/conditioning with 5 separate units (5 x 7000 = 35000 BTU) - 12 v freezer unit with heat exchanger on exterior of hull - LCD TV - Diesel pulsed air heater, twin units, with: outlet in each cabin, two in the salon, one in each head


Plumbing options: 12v electric toilets - Deck wash pump

Specifications subject to change without notice
This document is non-contractual


Last update: 8/28/03 - Sun Odyssey 54DS




**OWNER'S CABIN AFT WITH
3 CONVERTIBLE CABINS
FORWARD**




**2 CONVERTIBLE CABINS
AFT WITH OWNER'S CABIN
FORWARD**



**OWNER'S CABIN AFT WITH
2 CONVERTIBLE CABINS
FORWARD**



**2 CONVERTIBLE CABINS AFT
WITH 2 CONVERTIBLE CABINS
FORWARD**



**2 CONVERTIBLE CABINS AFT
WITH 3 CONVERTIBLE CABINS
FORWARD**



JEANNEAU

ANY SEASON, ANY SEA

JEANNEAU AMERICA, INC. 105 Eastern Avenue, Suite 202, Annapolis, MD 21403

Tel 410.280.9400 • Fax 410.280.9401 • www.jeanneauamerica.com

